

The background of the entire image is a dark, moody composition of numerous circular cross-sections of logs. The logs are arranged in a somewhat chaotic, overlapping pattern, creating a rich texture of concentric wood grain rings. The lighting is dramatic, highlighting the natural grain and knots of the wood against a deep, shadowy background.

wood
story

200x1200mm | WOODEN TILES COLLECTION

WELCOMING APPEAL OF WOOD

A ceramic series that represent the beauty of natural wood in matt look with the use of glazed vitrified technology is here to make your space elegant. It is the preferred choice by the architects and interior designers to design unique spaces and embellish it with different patterns and shades of wood, giving your space a natural look.



NATURAL
TEXTURE



PROTECTING
NATURE



NATURAL
FEELING



ECO-FRIENDLY
& HYGIENIC



RESISTANCE
TO UV RAYS



FIREPROOF



Wooden Tiles | 200x
1200mm



4001

Phase 5



4002

Phase 8



FOREST WOOD
200 x 1200 | WOODEN TILES COLLECTION





Wooden Tiles | 200x
1200mm



4003

Phase 8



4004

Phase 6







Wooden Tiles | 200x1200mm



4005

Phase 8



4006

Phase 8







Wooden Tiles | 200x1200mm



4007

Phase 8



4008

Phase 6





Wooden Tiles | 200x
1200mm



4009

Phase 8



4010

Phase 10







Wooden Tiles | 200x
1200mm



4011

Phase 8



4012

Phase 6





Wooden Tiles | 200x
1200mm



4013


Phase 6



4014

Phase 6







Wooden Tiles | 200x1200mm



4015

Phase 10



4016

Phase 3





Wooden Tiles | 200x
1200mm



4017

Phase 5



4018

Phase 5







Wooden Tiles | 200x1200mm



4020


Phase 6



4021

Phase 4







Wooden Tiles | 200x1200mm



4022

Phase 4



4023

Phase 4








Wooden Tiles | 200x
1200mm



4024

Phase 6



4025

Phase 5





**Wooden
Tiles** | 200x
1200mm



4026

Phase 5





Wooden Tiles | 200x
1200mm



5001

Phase 6



5002

Phase 7



FOREST WOOD
200 x 1200 | WOODEN TILES COLLECTION





Wooden Tiles | 200x
1200mm



5003

Phase 7



5004

Phase 5



FOREST WOOD
200 x 1200 | WOODEN TILES COLLECTION



Wooden Tiles | 200x1200mm



5006

Phase 6



5007

Phase 9







Wooden Tiles | 200x
1200mm



5008

Phase 6



5009

Phase 5



FOREST WOOD
200 x 1200 | WOODEN TILES COLLECTION



Wooden Tiles | 200x
1200mm



5010


Phase 10



5011

Phase 10







Wooden Tiles | 200x
1200mm




5012

Phase 8



5013

Phase 8



FOREST WOOD
200 x 1200 | WOODEN TILES COLLECTION



Wooden Tiles | 200x
1200mm



5014


Phase 5



5015

Phase 6







Wooden Tiles | 200x
1200mm



5016

Phase 10



5017

Phase 8





Wooden Tiles | 200x1200mm



5018

Phase 6



5019

Phase 6





Wooden Tiles | 200x1200mm



5020

Phase 3



5021

Phase 3



FOREST WOOD
200 x 1200 | WOODEN TILES COLLECTION



Wooden Tiles | 200x
1200mm




5022

Phase 3



5023

Phase 6







Wooden Tiles | 200x1200mm




5024

Phase 6



5025

Phase 4



FOREST WOOD
200 x 1200 | WOODEN TILES COLLECTION

TECHNICAL SPECIFICATION

SR. NO	CHARACTERISTICS	ISO TEST METHODS	VITRIFIED TILES REQUIREMENT AS PER ISO 13006 Bla / EN176 Bla	VITRIFIED TILES IS 15622 : 2006 GROUP Bla	DESIGNS ZONE VALUE
A Dimension&SurfaceQuality					
1	DeviationinLength&Width	ISO 10545-2	+/- 0.6 %	+/- 0.1 %	+/- 0.1 %
2	DeviationinThickness	ISO 10545-2	+/- 5.0 %	+/- 4.0 %	+/- 3.5 %
3	Straightnessofsides	ISO 10545-2	+/- 0.5 %	+/- 0.1 %	+/- 0.08 %
4	Rectangularity	ISO 10545-2	+/- 0.6 %	+/- 0.1 %	+/- 0.1 %
5	SurfaceFlatness	ISO 10545-2	+/- 0.5 %	+/- 0.2 %	+/- 0.2 %
6	ColorDifference	ISO 10545-2	Unaltered	Unaltered	No Change
B PhysicalProperties					
1	WaterAbsorption	ISO 10545-3	≤ 0.5%	≤ 0.08%	0.05%
2	FlexuralStrength(MOR)	ISO 10545-4	≥ 35 N mm ²	≥ 44 N mm ²	44
3	MohsHardness	EN 101	≥ 6	≥ 6	7
4	FlexuralBreakingStrength	ISO 10545-4	> 1300 N	> 1500 N	1900 N
5	BulkDensity(GM/CC)	DIN 51082	> 2 gm/cc	> 2.2 gm/cc	2.35 gm/cc
6	SlipResistanceCoefficientofFriction	ISO 10545-17	≥ 0.4	≥ 0.4	≥ 0.6
C ChemicalProperties					
1	StainingResistance	ISO 10545-14	Resistant	Resistant	Resistant
2	HouseholdChemicals	ISO 10545-13	No Damage	No Damage	No Damage
D ThermalProperties					
1	ThermalShockResistance	ISO 10545-9	No Damage	No Damage	Passed
2	ThermalExpansion	ISO 10545-8	9x10 ⁻⁶ Max.	9x10 ⁻⁶ - k ⁻¹ Max.	Passed
3	MoistureExpansion	ISO 10545-10	Nil	Nil	Passed

PACKING DETAILS

SERIES	TILE SIZE	NO. OF TILES / BOX	WEIGHT / BOX (approx)	COVERAGE AREA / BOX (approx)	COVERAGE AREA / BOX (approx)
Digital GVT	200x1200mm	5 pcs.	27.5 kg.	1.20 sq. mtr.	12.92 sq. ft.



A ceramic series that represent the beauty of natural wood in matt look with the use of glazed vitrified technology is here to make your space elegant. It is the preferred choice by the architects and interior designers to design unique spaces and embellish it with different patterns and shades of wood, giving your space a natural look.

FOREST WOOD

200x1200mm | WOODEN TILES COLLECTION