
CHAMKILA
COLLECTION
GLAZED VITRIFIED TILES
300X300MM (CARVING)


CHAMKILA
COLLECTION




SIZE.
300X300MM | SURFACE
CARVING | **FLOOR TILE**


CHAMKILA COLLECTION / (12"X12") 300X300MM
GLAZED VITRIFIED TILES


FLOOR WALL CARVING




CARVING









20341 EMERALD AQUA


RANDOM **9**



20341 EMERALD AQUA

CHAMKILA COLLECTION / (12"X12") 300X300MM
GLAZED VITRIFIED TILES

FLOOR WALL CARVING



CARVING




20351 CHAMKILA FLORAL




20351 CHAMKILA FLORAL

CHAMKILA COLLECTION / (12"X12") 300X300MM
GLAZED VITRIFIED TILES

FLOOR WALL CARVING



CARVING




20352 CHAMKILA STELLA GOLD



20352 CHAMKILA STELLA GOLD

CHAMKILA COLLECTION / (12"X12") 300X300MM
GLAZED VITRIFIED TILES

FLOOR WALL CARVING



CARVING




20353 CHAMKILA OCTA BROWN



20353 CHAMKILA OCTA BROWN

CHAMKILA COLLECTION / (12"X12") 300X300MM
GLAZED VITRIFIED TILES

FLOOR WALL CARVING



CARVING




20354 CHAMKILA OCTAVIA AQUA



20354 CHAMKILA OCTAVIA AQUA

CHAMKILA COLLECTION / (12"X12") 300X300MM
GLAZED VITRIFIED TILES

FLOOR WALL CARVING



CARVING




20355 CHAMKILA OCTAVIA BLUE




20355 CHAMKILA OCTAVIA BLUE

CHAMKILA COLLECTION / (12"X12") 300X300MM
GLAZED VITRIFIED TILES

FLOOR WALL CARVING



CARVING




20356 CHAMKILA JEWEL BLACK




20356 CHAMKILA JEWEL BLACK

CHAMKILA COLLECTION / (12"X12") 300X300MM
GLAZED VITRIFIED TILES

FLOOR WALL CARVING



CARVING




20357 CHAMKILA ACE BROWN



20357 CHAMKILA ACE BROWN

CHAMKILA COLLECTION / (12"X12") 300X300MM
GLAZED VITRIFIED TILES

FLOOR WALL CARVING



CARVING




20358 CHAMKILA DICTATE RED BROWN



20358 CHAMKILA DICTATE RED BROWN

CHAMKILA COLLECTION / (12"X12") 300X300MM
GLAZED VITRIFIED TILES

FLOOR WALL CARVING



CARVING




20359 CHAMKILA DICTATE FORESTA GREEN




20359 CHAMKILA DICTATE FORESTA GREEN

CHAMKILA COLLECTION / (12"X12") 300X300MM
GLAZED VITRIFIED TILES

FLOOR WALL CARVING



CARVING



20360 CHAMKILA OCTA BLUE



20360 CHAMKILA OCTA BLUE

CHARACTERISTICS OF GLAZED PORCELAIN TILES

DRY-PRESSED CERAMIC TILES, WITH LOW WATER ABSORTION≤0.5%,
FOR INTERNAL AND EXTERNAL WALLS AND FLOORS

Fire Reaction	Class A1
Breaking Strength	≥1300 N
Thermal Shock Resistance	PASS
Durability For:	
Indoor Uses	PASS
Outdoor Uses	PASS
Frost Resistance	PASS
Resistance to Chemical for Household use and Swimming Pool Salts	ISO 10545-13 GA
Resistance to Low Concentrations of Acids and Alkalis	ISO 10545-13 GLA
Resistance to High Concentrations of Acids and Alkalis	ISO 10545-13 GHA
Stain Resistance	ISO 10545-14 Class 5

PACKAGING DETAILS

SIZE	THICKNESS	PIECES/BOX	SQM./BOX	SQFT./BOX	KG/BOX
300X300MM (12"X12")	8.00MM	09	0.81	8.72	14.00

Note :

- Size / shade variation is inherent in porcelain tiles , in case of any complain its should be brought to our dealer's notice before laying the tiles.
- Colour shown are indicative only. Check actual tiles for exact colour.
- The information contained in this catalogue are accurate as possible, but cannot be considered as legally binding.
- Customers are advised to inspect a sample of the tile before ordering.
- The company reserves the right to change the specifications without prior notice.

Exterior Elevation or interior Walls & Floors



TILE FIXING INSTRUCTIONS

It is necessary to use an appropriate adhesive and grouting material for each product An initial approach must be made before starting the installation and take into account the type of joint, structural, perimeter, expansion and installation that must be used for each use. We advise that to obtain an optimal result a 3 mm joint should be used.

Once the placement is finished: it is recommended to remove the remains of adhesive material and specific grouting for each material, following the manufacturer's instructions for these products.

In general, powder detergents and aggressive scouring pads should not be used for cleaning.
It is enough to clean the tiles with a sponge, warm water and a neutral liquid soap. Finally, rinse with clean water.

